

A matrix of hot glass is stretched and folded back onto itself numerous times as it cools. Air is trapped between the folds and stretched along the grain of the loop, creating microfilaments that give the piece a pearlescent optical quality. A light source is introduced at one end of the loop casting light through the microfilaments and registering a gentle gradient.





amping

1.5w LED or 10w xenon

Material

pulled glass, braided metal coaxial cable, electrical components, and brushed nickel or white powder coated canopy

Patent

Worldwide patents pending EU Patent # 03611144 - 0005-0009







87sp 87.1 87.1 87.1m 87.3 87.5 87.7 Surface Mount 87s Adjustable Length Wall Ø55 I adjustable Ø115 up to Random canopies 3000 (10') standard adjustable up to 30500  $\Theta$ (100') custom <u>—</u> Ø116 Ø116 Ø30 <u>/</u> Ø152 0 Ø203 Ø152 Fixed Length 87.11 87.11 87.14 87.14 87.20 87.26 87.26 87.36 87.36 Random canopies fixed length up to 3000 (10') standard fixed length up to 30500 (100') custom 1100 x 370 850 x 284 850 x 284 1320 x 300 1000 x 335 Ø600 600 755





Non-swag Cluster canopies




adjustable up to 3000 (10') standard adjustable up to 30500 (100') custom

Fixed Length

Non-swag Cluster

canopies









BOCCI

© 2020, Bocci Design and Manufacturing Inc. Any inquiries should be directed to: info@bocci.com